

### UNLIMITED INGENUITY

# MEMORY & STORAGE SOLUTIONS FOR INDUSTRIAL & EMBEDDED APPLICATIONS



## WHO WE ARE

- Serving global embedded and industrial customers for over 30 years, offering a variety of interfaces, form factors, and capacities
- Your one-stop shop for memory solutions: From standard to special, legacy to mainstream
- Commercial and logistical support, reliability, and quality across the globe
- Complete in-house support: From design, to manufacturing and testing capabilities, through to applications
- A wide variety of unique, complex, and niche memory solutions

- Offering a comprehensive portfolio of DRAM components, DRAM modules, and NAND Flash products
- Long product lifetimes ensure longevity with continued support
- Locked BOMs and product lifecycle management with no surprises
- Customizable configurations and feature-rich products across a range of solutions
- Supply stability and availability through strategic partnerships





For more information or to request samples, please visit us at www.intelligentmemory.com You may also contact our sales team directly at sales@intelligentmemory.com

February 2023 2023 © Intelligent Memory Limited, All rights reserved



# **INDUSTRY SEGMENTS**



## NAND FLASH PRODUCTS

	eMMC	SD	SATA	PCIe	ΡΑΤΑ	USB
Form Factors	100-ball 14x18mm 153-ball 11,5x13mm	SD microSD	M.2 (2242, 2280) 2.5" mSATA mSATA mini CFast BGA	M.2 (2242, 2280) U.2 CFX BGA	CompactFlash	USB Stick
Product Families	Silver Ruby Emerald	Silver Ruby Emerald	Silver Ruby Emerald	Silver Ruby Emerald	Emerald	Emerald
Temperature Ranges	Extended Commercial: -25°C to +85°C Industrial: -40°C to +85°C Auto. Grade 3: -40°C to +85°C Auto. Grade 2: -40°C to +105°C	Extended Commercial: -25°C to +85°C Industrial: -40°C to +85°C	Commercial: 0°C to +70°C Industrial: -40°C to +85°C	Commercial: 0°C to +70°C Industrial: -40°C to +85°C	Commercial: 0°C to +70°C Industrial: -40°C to +85°C	Commercial: 0°C to +70°C Industrial: -40°C to +85°C

# NAND FLASH KEY FEATURES

- Available as removable media, embedded form factors and BGA components
- Equipped with high quality hardware and industrial grade firmware
- Developed and tested for demanding operating environments
- Offered in different grades and customized for specific applications to optimize performance, lifetime and reliability
  - IM's NAND line-up includes 3 family categories (classified by their endurance):
    - Emerald The "SLC grade"
    - Ruby The "pseudoSLC grade"
    - Silver The "MLC/TLC grade"

All product grades come with a full range of tools and technical support

• Tools include workload generation, live performance evaluation, life time monitoring, etc.



## UNLIMITED INGENUITY

# **DRAM COMPONENTS & MODULES**

DRAM Components	64Mb	128Mb	256Mb	512Mb	1Gb	2Gb	4Gb	8Gb	16Gb
<b>SDRAM</b> (3.3V)	$\checkmark\checkmark$	$\checkmark\checkmark$	$\checkmark\checkmark\checkmark$	$\checkmark\checkmark\checkmark$					
<b>DDR</b> (2.5V)			$\checkmark$	$\checkmark$	$\checkmark\checkmark$				
<b>DDR2</b> (1.8V)				$\checkmark$	$\checkmark\checkmark$	$\checkmark\checkmark$			
<b>DDR3</b> (1.35V/1.5V)					$\checkmark\checkmark$	$\checkmark$	$\checkmark$	$\checkmark\checkmark$	$\checkmark$
<b>DDR4</b> (1.2V)							$\checkmark$	$\checkmark$	$\checkmark$
<b>LPDDR4</b> (1.1V)							$\checkmark$	$\checkmark$	$\checkmark$
Features:	Commercial & Industrial Temperature Grade, Leaded balls package option available								

x4 configuration available

ECC - On-chip ECC option available (AEC-Q100 also available)



DRAM Modules	LRDIMM	RDIMM	UDIMM	RSODIMM	SODIMM	MINI-RDIMM	MINI-UDIMM
FPM/EDO (3.3V/5V, max: 50ns)			Max: 256MB		Max: 128MB		
<b>SDRAM</b> (3.3V, max: PC-166)			Max: 512MB		Max: 512MB		
<b>DDR</b> (2.5V, max: PC-3200)		Max: 1GB	Max: 1GB		Max: 1GB		
<b>DDR2</b> (1.8V, max: PC2-6400)		Max: 8GB	Max: 4GB		Max: 4GB	Max: 512MB	
<b>DDR3</b> (1.35V/1.5V, max: PC3-12800)	Max: 32GB	Max: 32GB	Max: 16GB	Max: 16GB	Max: 16GB	Max: 16GB	Max: 16GB
<b>DDR4</b> (1.2V, max: PC4-25600)		Max: 64GB	Max: 32GB		Max: 32GB	Max: 16GB	Max: 32GB
DDR5 (1.1V, max: PC5-44800)		Max: 64GB	Max: 32GB		Max: 32GB		

Features:

ECC or Non-ECC optional

VLP / ULP (Very Low Profile / Ultra Low Profile) available I-Temp available

#### **SDRAM Highlights**

- Components with max. 512Mb, both TSOP and BGA
- 256Mb & 512Mb components with ECC feature, TSOP x8, x16 & x32
- UDIMM and SODIMM modules with up to 512MB

### **DDR4 Highlights**

- Faster data transfer rates and low voltage operation
- Full configurations offered (8Gb and 4Gb with x8 and x16)
- Highest speed up to 3200Mbps
- Working temps in the range of -40°C to +95°C

### **DDR Highlights**

- Components with max. 1Gb, both TSOP and BGA
- 1Gb components with ECC feature, TSOP x8 and x16
- RDIMM, SODIMM and UDIMM modules with up to 1GB

### **DDR2** Highlights

- Components with max. 2Gb with Single Chip Select x4, x8 and x16
- 1Gb components with ECC feature, x8 and x16
- High density modules: E.g. 8GB RDIMM and 4GB UDIMM

### **DDR3 Highlights**

- 16Gb components with Dual Chip Select x16
- 8Gb components with Single or Dual Chip Select, x4, x8 and x16
- 1Gb components with ECC feature, x8 and x16
- UDIMM and SODIMM modules with up to 16GB (optional ECC)

### LPDDR4 Component Highlights

- Low Voltage Power Supply 1.8V and I/O at 1.1V
- Mobile features for lower power
- ZQ Calibration
- Integrated ECC error correction
- 4Gb x32 and 8Gb x32 are available


### **DDR5 Module Highlights**

- Multiple form factors:
- UDIMM, SODIMM & RDIMM with ECC • UDIMM & SODIMM Non-ECC
- The use of original DRAM components to fulfill industrial standards
- Highest speed up to 5600MT/s (PC5-44800)
- Lower power requirements: Only 1.1V needed
- Capacity: 8GB to 64GB



### UNLIMITED INGENUITY

# LOCATIONS



In addition to headquarters in Hong Kong, IM has branches operating in USA, Germany, UK, Japan, and Taiwan which offer product development and technical support.

#### AMERICAS USA

USA Intelligent Memory AMERICA Inc. 1 Venture, Suite # 250 Irvine, CA 92618, America im-amer-sales@intelligentmemory.com

#### EMEA GERMANY

Intelligent Memory EMEA GmbH Mergenthaler Allee 15-21 65760 Eschborn, Germany im-emea-sales@intelligentmemory.com Phone: +49 6196 93496 11

#### - UK

Intelligent Memory EMEA GmbH im-emea-sales@intelligentmemory.com Phone: +44 1844 237029

### APAC

HONG KONG – HEADQUARTERS

Intelligent Memory Ltd. Unit 1 - 6 A, 11/F, Mita Centre 552-566 Castle Peak Road, Kwai Chung Hong Kong info@intelligentmemory.com +852 2422 0422

#### JAPAN

Intelligent Memory Japan Inc. #418, Sotokanda Stork bldg. 4F 6-15-14, Sotokanda, Chiyoda-ku Tokyo, 101 0021, Japan im-apac-jp-sales@intelligentmemory.com Phone: +813 5807 6787

#### TAIWAN

Intelligent Memory Ltd. Room H, 12/F, No.118 Ciyun Road East District, Hsinchu City Taiwan, R.O.C. im-apac-sales@intelligentmemory.com Phone: +886 3577 9787



For more information or to request samples, please visit us at www.intelligentmemory.com You may also contact our sales team directly at sales@intelligentmemory.com

February 2023 2023 © Intelligent Memory Limited, All rights reserved